

TREE REPORT TOTALS MAY 2024

TRIMMING - 206

REMOVALS - 55

EMERGENCY REMOVALS - 1

TREE REMOVAL DATA

WORK	QUAD	SPECIES	DBH	NOTES
In-House Removal	SW	Ginkgo	4	condition
In-House Removal	SE	Oak Sawtooth	3	condition
In-House Removal	SE	Chokecherry Canada Red	2	black knot disease
In-House Removal	SE	Ironwood Hophornbeam	4	rot, decay
In-House Removal	SE	Hackberry Common	2.5	new tree did not survive
In-House Removal	NE	Linden Sterling Silver	4	condition
In-House Removal	NW	Tulip Tree	2	poor soil quality
In-House Removal	SE	Maple Matador	2.5	new tree did not survive
In-House Removal	SE	Maple Matador	2.5	new tree did not survive
In-House Removal	SE	Oak Pin	2.5	chlorosis
In-House Removal	NW	Tulip Tree	3	poor soil conditions
In-House Removal	SE	Oak Shumard	2.5	new tree did not survive
In-House Removal	NW	Yellowwood	3	condition
In-House Removal	NW	Oak Swamp Chestnut Oak	2	condition
In-House Removal	NW	Redwood Dawn	2.5	condition
In-House Removal	NW	Oak Chinkapin	3	new tree did not survive
In-House Removal	NE	Pear Jack	2.5	new tree did not survive
In-House Removal	SW	Black Tupelo	2	condition
In-House Removal	SE	Oak White	2.5	condition
In-House Removal	SE	Oak White	2.5	condition
In-House Removal	SW	Plum Cherry Newport	7	black knot disease
In-House Removal	NW	Birch White Satin	3	condition
In-House Removal	SW	Tulip Tree	3	condition
In-House Removal	NW	Oak Pin	3	new tree planted by developer did not survive
In-House Removal	FW	Beech American	3	rot, decay
In-House Removal	FW	Maple Red	4	condition
In-House Removal	FW	Maple Red	4	condition
In-House Removal	FW	Hackberry Common	2.5	new tree planted by developer did not survive
In-House Removal	FW	Oak Shingle	2.5	new tree planted by developer did not survive

WORK	QUAD	SPECIES	DBH	NOTES
In-House Removal	SW	Hornbeam American	3	rot, decay
In-House Removal	FW	Maple Red	2	frost crack, rot, decay
In-House Removal	SW	Oak Swamp White	3	condition
In-House Removal	SE	Maple Crimson King	16	40% dead at top
In-House Removal	SE	Ash Golden Exelsior	6	condition
In-House Removal	SE	Pear Bradford	10	fire blight
In-House Removal	SE	Linden Redmond	5	declining, severe deadwood
In-House Removal	NE	Lilac Peking Summer Charm	6	storm damage
In-House Removal	NE	Linden Littleleaf	14	verticillium wilt, pest damage, girdling roots
In-House Removal	NE	Maple Norway	10	rot, decay
In-House Removal	FW	Pear Callery	2.5	fire blight
In-House Removal	FW	Maple Sugar	10	trunk rot, canopy dieback
In-House Removal	SW	Maple Norway	12	rot at base, all limbs are dead
In-House Removal	FW	Linden American	8	condition
In-House Removal	FW	Linden Littleleaf	7	severe trunk decay, canopy dieback
In-House Removal	FW	Elm Vanguard	9	condition
In-House Removal	FW	Elm Vanguard	6	pest damage
In-House Removal	SE	Locust Thornless Shademaster	24	removed for PW Engineering Div
In-House Removal	NW	Pear Callery	9	fire blight
In-House Removal	NW	Maple Crimson King	22	rot, decay
In-House Removal	FW	Pear Callery	6	storm damage
In-House Removal	SE	Apple Common	10	storm damage
Contract Tree Removal	SE	Pine Scotch	11	removed for Water Div valve repairs
Contract Tree Removal	SE	Maple Crimson King	13	removed for Water Div valve repairs
Contract Tree Removal	SE	Pine Scotch	14	condition
Emergency Removal In-House	SE	Maple Crimson King	14	storm damage